




DETAIL N
SCALE 1 : 5



Note1: For 1/3 of lighting pole

		Units:	Tolerance :	Quantity:	Customer:	Asfalt Tous		
		mm	5%	24	TITLE:			
Date	2025/02/08	MATERIAL: Hot Dipped Galvanized Carbon Steel			DWG NO: MHS-DWG-1023-1		REVISION	
CHK'D	M.M							
Manager	M.M	WEIGHT: gr			SCALE:1:50	SHEET 1 OF 3	A4	0



M8 U-Bolt suitable for pipe 1 1/2 "



Complete with:

1-2xM8 Nut


2-4xWasher

Note: 4 no's for each bracket


Total QTY:96




		Units: mm	Tolerance : 5%	Quantity: 24	Customer: Asfalt Tous			
					TITLE: 2.4m lightig bracket handrail mounted			
Date	2025/02/08	MATERIAL: Hot Dipped Galvanized Carbon Steel			DWG NO: MHS-DWG-1023-1			
CHK'D	M.M							REVISION
Manager	M.M	WEIGHT: gr			SCALE:1:1	SHEET 2 OF 3	A4	0



Note: 2 no's for each bracket
Total QTY:48



Suitable for pipe 1 1/2"



5		Units:	Tolerance :	Quantity:	Customer: Asfalt Tous			MH MEHR SAM SANA 
		mm	5%	24	TITLE: 2.4m lightig bracket handrail mounted			
Date	2025/02/08	MATERIAL: Hot Dipped Galvanized Carbon Steel			DWG NO: MHS-DWG-1023-1			
CHK'D	M.M							
Manager	M.M	WEIGHT: gr			SCALE:1:2	SHEET 3 OF 3	A4	REVISION 0