










**Hot Dip Galvanized
according to ASTM A123**




Units:	Tolerance :	Quantity:	Customer: Asfalt tous Co.			
mm	%±5	1	TITLE: 4m Camera Pole (2xFix camera)			
MATERIAL:			DWG NO:			REVISION
HDG Carbon Steel			MHS-DWG-784-6			
WEIGHT:			SCALE: _	SHEET 1 OF 4	A4	0




Inside plate Th: 4mm




Door Th: 3mm





Service door dimension



Welded M8 Nut
(back of the inside belts)



SECTION O-O
Base plate
Thickness: 20mm






DETAIL V
Earth lug
Th: 3mm



Inside of service door

Units:	Tolerance :	Quantity:	Customer: Asfalt tous Co.			
mm	%±5	1	TITLE: 4m Camera Pole (2xFix camera)			
MATERIAL:			DWG NO: MHS-DWG-784-6			
HDG Carbon Steel						
WEIGHT:			SCALE: _	SHEET 2 OF 4	A4	REVISION 0


Date	2024/8/3
CHK'D	M.M
Manager	M.M



2 plate 200x180- Th: 5mm)
1: welded on pole body
2: welded on profile



Profile 100x60- Th: 3mm



SECTION AA-AA
Th: 5mm

		Units:	Tolerance :	Quantity:	Customer: Asfalt tous Co.			MH MEHRSAV SANAT
		mm	% ± 5	1	TITLE: 4m Camera Pole (2xFix camera)			
Date	2024/8/3	MATERIAL:			DWG NO: MHS-DWG-784-6			
CHK'D	M.M	HDG Carbon Steel						
Manager	M.M	WEIGHT:			SCALE: _	SHEET 3 OF 4	A4	REVISION 0

		Units:	Tolerance :	Quantity:	Customer:	MH MEHRSAF SANAT 	
		mm	% ± 5	1	TITLE:		
					4m Camera Pole (2xFix camera)		
Date	2024/8/3	MATERIAL:			DWG NO:		
CHK'D	M.M	HDG Carbon Steel			MHS-DWG-784-6	REVISION	
Manager	M.M	WEIGHT:			SCALE: _	SHEET 4 OF 4	A4
							0